# #LAB #GCIA UKCA declaration\_AC04536 to AC04540 #

#2022-11-02 #

9C1 4144787-EN-00 #RL-Released

## LEDVANCE GmbH

# 

# UK CA

## GB DECLARATION of CONFORMITY LEDVANCE GmbH Parkring 29-33,85748 Garching,Germany

Declares that under our sole responsibility the product

## **Product reference(s)** Can refer to an appendix to the DoC

is/are in conformity with the provisions of the following UK regulations, including all amendments:

UK SI 2016 No. 1101	The Electrical Equipment (Safety) Regulations 2016
UK SI 2016 No. 1091	Electro Magnetic Compatibility Regulations 2016
UK SI 2021 No. 1095	The Ecodesign for Energy-Related Products and Energy Information (Lighting Products) Regulations 2021
UK SI 2012 No. 3032	Restriction of the use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

### The following designated standards have been applied

EN60598-1:2015+A1:2018	Luminaires. General requirements and tests
EN60598-2-1:1989	Luminaires — Part 2-1: Particular requirements — Fixed general
	purpose luminaires
EN 62493:2015	Assessment of lighting equipment related to human exposure to
	electromagnetic field
EN IEC 55015:2019+A11:2020	Limits and methods of measurement of radio disturbance
	characteristics of electrical lighting and similar equipment
EN IEC 61000-3-2:2019	Electromagnetic compatibility (EMC). Limits. Limits for harmonic
	current emissions
EN 610003-3-3:2013	Electromagnetic compatibility (EMC). Limits. Limitation of voltage
	changes, voltage fluctuations and flicker in public low-voltage supply
	systems
EN 61547:2009	Equipment for general lighting purposes. EMC immunity
	requirements
EN IEC 63000:2018	Technical documentation for the assessment of electrical and
	electronic products with respect to the restriction of hazardous
	substances

EXAMPLE STANDARDS SHOWN - CORRECT PRODUCT STANDARDS TO BE ADDED

Authorised signatory:

Name:Scheyer YannickPosition:QM ManagerDate:2022-10-31



## **LEDVANCE GmbH**

#### Appendix to the Model list:

AC04536 DP SLIM VALUE 1200 36W/4000K IP65 4000lm IK08 AC04537 DP SLIM VALUE 1200 36W/6500K IP65 4000lm IK08 AC04538 DP SLIM VALUE 1500 50W/4000K IP65 4000lm IK08 AC04540 DP SLIM VALUE 1500 50W/6500K IP65 4000lm IK08

9C1 4144787-EN-00